# EASY STEP NE 113



- **Output Output Output Designed for use with 48" or 52" deep aboveground pools**
- **♥** Easy to install
- Allows elderly and young people to step into the pool instead of climbing a ladder
- **▼** Two plastic handrails allow for easy entry into pool
- Mounts to any decking surface with mounting brackets
- **♥** Slats on side of step allow water to flow with less restriction, which will decrease the chance of algae growth behind step
  - Fits decks up to 60"
  - Step dimensions: 10" x 27"

### **MAXIMUM WEIGHT CAPACITY**

380 Lbs.

# EASY STEP ENTRY SYSTEM NE 138



- For use with 48" or 52' aboveground pools
- All resin construction eliminates chance of corrosion
- → Bridge system includes two steps with handrails which make for easy access to the pool
- ✓ Includes gate with latch and lock to limit access to pool site when pool is not in use
- ✓ Slats on side of step allow water to flow with less restriction, which will decrease the chance of algae growth behind step

#### **NOT SHOWN**

- Each step is 10" x 27"
- Crossover is 11.5" wide
- Riser between steps = 10"

**MAXIMUM WEIGHT CAPACITY** 

380 Lbs.

# EASY STEP W/OUTSIDE LADDER NE 126



- Perfect set-up for entry into aboveground pools with no deck
- **♥** Unlike standard A-frame ladders, the outside ladder is combined with an in-pool step making it easier to step into the pool
- Outside ladder swings up when pool is not in use to limit access to the pool

#### **NOT SHOWN**

- Max width of step = 32.5"
- Width of steps on ladder = 18"

MAXIMUM WEIGHT CAPACITY
300 Lbs.